



SIZE (d)	D	C	G	T	N	M	L	H	W	W1	ISO 5211	E	Ma
125	250	210	188	22	8	18	325	224	750	24	F12	125	M12
150	285	240	212	22	8	22	350	247	750	24	F12	125	M12



TECHNICAL FEATURES

1. FACE TO FACE DIMENSION: DIN 3202 F5
2. END FLANGE DIMENSION: EN 1092-1
3. TEST: API 598
4. BLOW-OUT PROOF STEM / FULL PORT
5. WITH ISO 5211 MOUNTING PAD
6. INVESTMENT CASTING BODY
7. LOCKING DEVICE



NO.	PART	MATERIAL
1	BODY	ASTM A351 CF8M
2	CAP	ASTM A351 CF8M
3	BALL	ASTM A351 CF8M
4	SEAT	PTFE
5	STEM	SUS 316
6	GASKET	PTFE
7	THRUSTER WASHER	TFM4215
8	PACKING	PTFE
9	STEM PACKING	PTFE
10	GLAND	ASTM A351 CF8M
11	GLAND BOLT	SUS 304
12	HANDLE	FCD
13	STOPPER	SUS 304
14	SNAP RING	SUS 304
15	BOLT	SUS 304
16	HANDLE BOLT	SUS 304
17	PLASTIC COVER	PLASTIC

REV A	BROOK VALVES	
DATE	OCT 2016	V2F-DIN16
SCALE	TO FIT	
316SS BALL VALVE FB DIN 16 LEVER OP		